

REFERENCES

- AMATO, A., KOOISTRA, W.H.C.F., LEVIALDI GHIRON, J.H., MANN, D.G., PRÖSCHOLD, T. & MONTRESOR, M. (2007): Reproductive isolation among sympatric cryptic species in marine diatoms. – *Protist*. 158: 193–207.
- AMATO, A.; ORSINI, L.; D'ALELIO, D. & MONTRESOR, M. (2005): Life cycle, size reduction patterns, and ultrastructure of the pennate planktonic diatom *Pseudo-nitzschia delicatissima* (Bacillariophyceae). – *Journal of Phycology*. 41: 542–556.
- AMATO, A. & MONTRESOR, M. (2008): Morphology, phylogeny, and sexual cycle of *Pseudo-nitzschia mannii* sp. nov. (Bacillariophyceae): a pseudo-cryptic species within the *P. pseudodelicatissima* complex. – *Phycologia* 47: 487–497.
- ARMBRUST, E.V. (1999): Identification of a new gene family expressed during the onset of sexual reproduction in the centric diatom *Thalassiosira weissflogii*. – *Appl. Environ. Microbiol.* 65: 3121–3128.
- ASSMY, P.; HENJES, J.; SMETACEK, V. & MONTRESOR M. (2006): Auxospore formation by the silica-sinking, oceanic diatom *Fragilariopsis kerguelensis* (Bacillariophyceae). – *J. Phycol.* 42: 1002–1006.
- ASSMY, P.; HERNÁNDEZ-BECERRIL, D.U. & MONTRESOR, M. (2008): Morphological variability and life cycle traits of the type species of the diatom genus *Chaetoceros*, *C. dictyota*. – *J. Phycol.* 44: 152–163.
- BACHMANN, H. (1903): *Cyclotella bodanica* var. *lemanica* O. Müller im Vierwaldstättersee und ihre Auxosporenbildung. – *Jahrb. Wiss. Bot.* 39: 106–133.

- BARRON, J.; LARSEN, B.; BALDAUF J.; ALIBERT, C.; BERKOWITZ, S.; CAULET, J.-P.;
CHAMBERS, S.; COOPER, A.; CRANSTON, R.; DORN, W.; EHRLMANN, W.; FOX, R.;
FRYXELL, G.; HAMBREY, M.; HUBER, B.; JENKINS, C.; KANG, S.-H.; KEATING, B.;
KLAUS, M.; NOH, II; OILIER, G.; PITTENGER, A.; SAKAI, H.; SCHRODER, C.;
SOLHEIM, A.; STOCKWELL, D.; THIERSTEIN, H.; TOCHER, B.; TURNER B. & WEI W.
(1989): Proceedings of the Ocean Drilling Program, Initial Reports 119. – 942 pp.,
College Station, Texas.
- BELT, S.T.; MASSÉ, G.; ALLARD, W.G.; ROBERT, J.-M. & ROWLAND, S.J. (2002): Effects
of auxosporulation on distributions of C25 and C30 isoprenoid alkenes in
Rhizosolenia setigera. – Phytochemistry 59: 141–148.
- BONDOC, K.G.V.; LEMBKE, C.; VYVERMAN, W. & POHNERT, G. (2016): Searching for a
mate: pheromone-directed movement of the benthic diatom *Seminavis robusta*. –
Microbial Ecol.. 72: 287–294.
- BRUCKMAYER-BERKENBUSCH, H. (1954): Die Beeinflussung der Auxosporenbildung
von *Melosira nummuloides* durch Aussenfactoren. – Arch. Protistenkunde. 100:
183–211.
- BUFFHAM, T.H. (1885): Newly-observed phenomena in the conjugation of the diatom
Rhabdonema arcuatum. – J. Quekett Micr. Club II: 31–137.
- CARTER, H.J. (1856a): On the conjugation of *Cocconeis*, *Cymbella* and *Amphora*. –
Ann. Mag. Nat. Hist. 17: 1–9.

- CARTER, H.J. (1865b): Conjugations of *Navicula serians*, *N. rhomboides* and *Pinnularia gibba*. – Ann. Mag. Nat. Hist. 15: 161–175.
- CHEPURNOV, V.A. (1993): Polovoj protsess u dvudomnoj vodorosli *Haslea subagnita* (Pr.-Lavr.) Makar. et Kar. (Bacillariophyta). – Al'gologiya. 3: 37–40. (in Russ.)
- CHEPURNOV, V.A. (1997): Polovoj protsess i formirovanie auksospor u diatomovikh vodoroslej (Bacillariophyta). – In: Davidovich, N.A., Emel'yanova, V.A. (eds): Trudy Karadagskogo filiala Instituta biologii yuzhnyh morej im. A. O. Kovalevskogo NAN Ukrainy. – pp. 53–62, Sevastopol. (in Rus.)
- CHEPURNOV, V.A. & MANN, D.G. (1997): Variation in the sexual behaviour of natural clones of *Achnanthes longipes* (Bacillariophyta). – Eur. J. Phycol. 32: 147–154.
- CHEPURNOV, V.A. & MANN, D.G. (1999): Variation in the sexual behaviour of *Achnanthes longipes* (Bacillariophyta). II. Inbred monoecious lineages. – Eur. J. Phycol. 34: 1–11.
- CHEPURNOV, V.A. & MANN, D.G. (2000): Variation in the sexual behaviour of *Achnanthes longipes* (Bacillariophyta). III. Progeny of crosses between monoecious and unisexual clones. – Eur. J. Phycol. 35: 213–223.
- CHEPURNOV, V.A.; MANN, D.G.; VYVERMAN, W.; SABBE, K. & DANIELIDIS, D.B. (2002): Sexual reproduction, mating system, and protoplast dynamics of *Seminavis* (Bacillariophyceae). – J. Phycol. 38: 1004–1019.

- CHEPURNOV, V.A. & MANN, D.G. (2004): Auxosporulation of *Licmophora communis* (Bacillariophyta) and a review of mating systems and sexual reproduction in araphid pennate diatoms. – Phycol. Res. 52: 1–12.
- CHEPURNOV, V.A.; MANN, D.G.; SABBE, K. & VYVERMAN, W. (2004): Experimental studies on sexual reproduction in diatoms. – Int. Rev. Cytol. 237: 91–154.
- CHEPURNOV, V.A.; MANN, D.G., SABBE, K.; VANNERUM, K.; CASTELEYN, G.; VERLEYEN, E.; PEPPERZAK, L. & VYVERMAN, W. (2005): Sexual reproduction, mating system, chloroplast dynamics and abrupt cell size reduction in *Pseudo-nitzschia pungens* from the North sea (Bacillariophyta). – Eur. J. Phycol. 40: 379–395.
- CHEPURNOV, V.A.; MANN, D.G.; VON DASSOW, P., ARMBRUST, E.V.; SABBE, K.; DASSEVILLE, R. & VYVERMAN, W. (2006): Oogamous reproduction, with two-step auxosporulation, in the centric diatom *Thalassiosira punctigera* (Bacillariophyta). – J. Phycol. 42: 845–858.
- CHEPURNOV, V.A.; CHAERLE, P.; VANHOUTTE, K. & MANN, D. G. (2012): How to breed diatoms: Examination of two species with contrasting reproductive biology. – In R. Gordon & J. Seckbach (eds.): The Science of Algal Fuels: Phycology, Geology, Biophotonics, Genomics and Nanotechnology. – pp. 325–340, Springer, Dordrecht.
- CHEPURNOV, V.A. & ROSCHIN A.M. (1995): Inbreeding influence on sexual reproduction of *Achnanthes longipes* Ag. (Bacillariophyta). – Diatom Res. 10: 21–29.

- CHOLNOKY, B.J., von (1927): Über die Auxosporenbildung von *Rhoicosphenia curvata* (Ktz.) Grunow. – Archiv für Protistenkunde. 60: 8–33.
- CHOLNOKY, B.J., von (1928): Über die Auxosporenbildung der *Anomoeoneis sculpta* E. Cl. – Arch. Protistenk. 63: 23–57.
- CHOLNOKY, B.J., von (1933): Die Kernteilung von *Melosira arenaria* nebst einigen Bemerkungen über ihre Auxosporenbildung. – Z. Zellforsch. Mik. Ana. 19: 698–719.
- CLEVE-EULER, A. (1951): Die Diatomeen von Schweden und Finnland. – Kungl. Svenska Vetenskapsakad. Handl., Fjärde Serien 2: 1–163.
- COX, E.J. (1985): Auxosporulation by a naviculoid diatom and the taxonomic implications. – Br. Phycol. J. 20: 169–179.
- CRAWFORD, R.M. (1974): The auxospore wall of the marine diatom *Melosira nummuloides* (Dillw.) C. Ag. and related species. – Brit. Phycol. J. 9: 9–20.
- CRAWFORD, R.M. (1975): The frustule of the initial cells of some species of the diatom genus *Melosira* C. Agardh. – Nova Hedwigia 53: 37–55.
- CRAWFORD, R.M. (1995): The role of sex in the sedimentation of a marine diatom bloom. – Limnol. Oceanogr. 40: 200–204.
- CUPP, E.E. (1943): Marine plankton diatoms of the west coast of North America. – 237 pp., University of California Press, Berkeley.

- D'ALELIO, D.; AMATO, A.; LUEDEKING, A. & MONTRESOR, M. (2009): Sexual and vegetative phases in the planktonic diatom *Pseudo-nitzschia multistriata*. – Harmful Algae 8: 225–232.
- DASSOW, P. VON; CHEPURNOV, V.A. & ARMBRUST, E.V. (2006): Relationships between growth rate, cell size, and induction of spermatogenesis in the centric diatom *Thalassiosira weissflogii* (Bacillariophyta). – J. Phycol. 42: 887–899.
- DAVIDOVICH, N.A. (2001): Sexual reproduction of *Berkeleya micans* (Lyngb.) Grun. (Bacillariophyta). – Int. J. Algae 3: 1–12.
- DAVIDOVICH, N.A. (2002): Sexual heterogeneity of the clones of *Nitzschia longissima* (Breb.) Ralfs (Bacillariophyta). – Int. J. Algae 4: 104–116.
- DAVIDOVICH, N.A. (2010): Tendencies in development of reproductive biology in diatomic algae. – Int. J. Algae 12: 5–18.
- DAVIDOVICH, N.A. & BATES S.S. (1998): Sexual reproduction in the pennate diatoms *Pseudo-nitzschia multiseriata* and *P. pseudodelicatissima* (Bacillariophyceae). – J. Phycol. 34: 126–137.
- DAVIDOVICH, N.A. & DAVIDOVICH, O.I. (2010): Sexual reproduction and mating system of *Tabularia tabulata* (C. Agardh) Snoeijis (Bacillariophyta). – Algologiya 20: 385–405.
- DAVIDOVICH, N.A.; Davidovich, O.I.; PODUNAI, YU.A.; SHORENKO, K.I. & KULIKOVSKIY, M.S. (2015): Reproductive properties of diatoms significant for their cultivation and biotechnology. – Russ. J. Plant Physiol. 62: 153–160.

- DAVIDOVICH, N.A.; Davidovich, O.I.; PODUNAY, Y.A.; GASTINEAU, R.; KACZMARSKA, I., POULÍČKOVÁ, A. & WITKOWSKI, A. (2017): *Ardissonaea crystallina* has a type of sexual reproduction that is unusual for centric diatoms. – Sci. Rep. 7 (14670): 1–16.
- DAVIDOVICH, N.A.; DAVIDOVICH, O.I.; WITKOWSKI, A.; LI C.; DĄBEK, P.; MANN, D.G.; ZGŁOBICKA, I.; KURZYDŁOWSKI, K.J.; GUSEV, E.; GÓRECKA, E. & KRZYWDA, M. (2017): Sexual reproduction in *Schizostauron* (Bacillariophyta) and a preliminary phylogeny of the genus. – Phycologia. 56: 77–93.
- DAVIDOVICH, N.A.; KACZMARSKA, I. & EHRMAN, J.M. (2010): Heterothallic and homothallic sexual reproduction in *Tabularia fasciculata* (Bacillariophyta). – Fottea 10: 251–266.
- DAVIDOVICH, O.I.; DAVIDOVICH, N.A.; GASTINEAU, R. & WITKOWSKI, A. (2019): Sexual reproduction of the Black Sea diatom *Climaconeis scalaris* (Brébisson) E.J. Cox. – Moscow Univ. Biol. Sci. Bull. 74: 200–206.
- DAVIDOVICH, N.A.; KACZMARSKA, I. & EHRMAN, J.M. (2006): The sexual structure of a natural population of the diatom *Nitzschia longissima* (Bréb.) Ralfs. – In: A. WITKOWSKI (ed.): Proceedings of the 18th International Diatom Symposium. – pp. 27–40, Biopress Limited, Bristol.
- DAVIDOVICH N.A.; MOUGET J.–L. & GAUDIN P. (2009): Heterothallism in the pennate diatom *Haslea ostrearia* (Bacillariophyta) . – Eur. J. Phycol. 44: 251–261.

DAVIDOVICH, N.A.; GASTINEAU, R.; GAUDIN, P.; DAVIDOVICH, O.I., & MOUGET, J-L.

(2012a): Sexual reproduction in the newly-described blue diatom, *Haslea karadagensis*. – Fottea, Olomouc 12: 219–229.

DAVIDOVICH N.A.; KACZMARSKA I.; KARPOV S.A.; DAVIDOVICH O.I.; MACGILLIVARY

M.L. & MATHER L. (2012b): Mechanism of male gamete motility in araphid pennate diatoms from the genus *Tabularia* (Bacillariophyta). – Protist 163: 480–494.

DREBES, G. (1966): On the life history of the marine plankton diatom *Stephanopyxis palmeriana*. – Helgol. Wiss. Meer. 13: 101–114.

DREBES, G. (1967): *Bacteriastrum solitarium* Mangin, a stage in the life history of the centric diatom *Bacteriastrum hyalinum*. – Mar. Biol. 1: 40–42.

DREBES, G. (1968): Subdiozie bei der zentrischen Diatomee *Coscinodiscus granii*. – Sci. Nat. 55: 236.

DREBES, G. (1969): *Stephanopyxis turris* (Centrales) Geschlechtliche Fortpflanzung Differenzierung der Oogonien Auxosporenbildung. – In: Wolf, G. (ed.) Encyclopaedia cinematographica. – 10 pp., Institut für den Wissenschaftlichen Film, Göttingen.

DREBES, G. (1972): The life history of the centric diatom *Bacteriastrum hyalinum* Mangin. – Nova Hedwigia 39: 95–110.

DREBES, G. (1974): Marines Phytoplankton – Eine Auswahl der Helgoländer Planktonalgen (Diatomeen, Peridineen). – 186 pp., Theime, Stuttgart.

DREBES, G. (1977): Sexuality. – In: WERNER, D. (ed.): The biology of diatoms. Vol. 13. – pp. 250–283, Blackwell Scientific Publications, Oxford.

DREBES, G. (1979): Oogame Auxosporenbildung bei *Thalassiosira eccentrica*. – Jahresbericht – Biologische Anstalt Helgoland 15: 15–17.

EDLUND, M.B. & STOERMER, E.F. (1991): Sexual reproduction in *Stephanodiscus niagarae* (Bacillariophyta). – J. Phycol. 27: 780–793.

EDLUND, M.B. & STOERMER, E.F. (1997): Ecological, evolutionary, and systematic significance of diatom life histories. – J. Phycol. 33: 897–918.

EDLUND, M.B. & BIXBY, R.J. (2001): Intra- and inter-specific differences in gametangial and initial cell size in diatoms. – In: A. Economou-Amilli (ed.): Proceedings of the 16th International Diatom Symposium. – pp. 169–190, University of Athens, Greece.

EDLUND, M.B. & SPAULDING, S.A. (2006): Initial observations on uniparental auxosporulation in *Muelleria* (Frenguelli) Frenguelli and *Scoliopleura* Grunov (Bacillariophyceae). – In: OGNJANOVA-RUMENOVA, N. & MANOYLOV, K. (eds.): Fossil and recent phycological studies. PENSOFT Publishers, Sofia-Moscow.

EHRlich, A.; CRAWFORD, R.M. & ROUND, F.E. (1982): A study of the diatom *Cerataulus laevis* – the structure of the auxospore and the initial cell. – Brit. Phycol. J. 17: 205–214.

FINDLAY, I.W.O. (1969): Cell size and spore formation in a clone of a centric diatom, *Coscinodiscus pavillardii* Forti. – Phykos 8: 31–41.

- ERBEN, K. (1959): Untersuchungen über Auxosporenentwicklung und Meioseauslösung an *Melosira nummuloides* (Dillw.) C.A. Agardh. – Arch. Protistenkunde. 104: 165–210.
- FRENCH, F.W. & HARGRAVES, P.E. (1985): Spore formation in the life cycles of the diatoms *Chaetoceros diadema* and *Leptocylindrus danicus*. – J. Phycol. 2: 477–483.
- FRITSCH, F.E. (1935): The Structure and Reproduction of the Algae. Vol.1. Introduction, Chlorophyceae, Xanthophyceae, Chrysophyceae, Bacillariophyceae, Cryptophyceae, Dinophyceae, Chloromonadineae, Euglenineae, Colourless Flagellata. – 791 pp., Cambridge University Press, London.
- FRYXELL, G.A.; GARZA, S.A. & ROELKE, D.L. (1991): Auxospore formation in an antarctic clone of *Nitzschia subcurvata* Hasle. – Diatom Res. 6: 235–245.
- FUCHS, N.; SCALCO, E.; KOOISTRA, W.H.C.F.; ASSMY, F. & MONTRESOR, M. (2013): Genetic characterization and life cycle of the diatom *Fragilariopsis kerguelensis*. – Eur. J. Phycol. 48: 411–426.
- FURNAS, M.J. (1985): Diel synchronization of sperm formation in diatom *Chaetoceros curvisetum* Cleve. – J. Phycol. 21: 667–671.
- GASTINEAU, R.; DAVIDOVICH N.A.; HALLEGRAEFF, G.M.; PROBER, I. & MOUGET, J.–L. (2014): Reproduction in Microalgae. – In: RAMAWAT, K.G., MÉRILLON, J.M., SHIVANNA, K.R. (eds.): Reproductive Biology of Plants. – pp. 1–28, CRC Press, Taylor & Francis Group, Boca Raton.

- GASTINEAU, R.; HANSEN, G.; DAVIDOVICH, N.A.; DAVIDOVICH, O.; BARDEAU, J-F.; KACZMARSKA, I.; EHRMAN, J.M.; LEIGNEL, V.; HARDIVILLIER, Y.; JACQUETTE, B.; POULIN, M.; MORANÇAIS, M.; FLEURENCE, J. & MOUGET, J-L. (2016): A new blue-pigmented hasleoid diatom, *Haslea provincialis*, from the Mediterranean Sea. – Eur. J. Phycol. 51: 156–170.
- GASTINEAU, R.; HANSEN, G.; POULIN, M.; LEMIEUX, C.; TURMEL, M.; BARDEAU, J-F.; LEIGNEL, V.; HARDIVILLIER, Y.; MORANCAIS, M.; FLEURENCE, J.; GAUDIN, P.; MELEDER, V.; COX, E.; DAVIDOVICH, N.A.; DAVIDOVICH, O.; WITKOWSKI, A.; KACZMARSKA, I.; EHRMAN, J.M.; ONIS, E.S.; QUINTANA A.M.; MUCKO, M.; MORDRET, S.; SARNO, D.; JACQUETTE, B.; FALAISE, C.; SEVENO, J.; LINDQUIST, N.; KEMP, P.S. JR; EKER-DEVELI, E.; KONUCU, M. & MOUGET, J-L. (2021): *Haslea silbo*, a novel cosmopolitan species of blue diatoms. – Biology. 10, 328, <https://doi.org/10.3390/biology10040328>.
- GEITLER, L. (1927): Reduktionsteilung, Kopulation und Parthenogenese bei *Cocconeis placentula*. – Biol. Zentralbl. 47: 307–318.
- GEITLER, L. (1932): Der Formwechsel der pennaten Diatomeen (Kieselalgen). – Archiv für Protistenkunde 78: 1–226.
- GEITLER, L. (1939a): Die Auxosporenbildung von *Synedra ulna*. Ber. – Deutsch. Bot. Ges. 57: 432–436.

- GEITLER, L. (1939b): Gameten- und Auxosporenbildung von *Synedra ulna* im Verleich mit anderen pennaten Diatomeen. – *Planta*, Archiv für wissenschaftliche Botanik 30: 551–566.
- GEITLER, L. (1940): Die Auxosporenbildung von *Meridion circulare*. – Archiv für Protistenkunde 93: 288–294.
- GEITLER, L. (1948): Zur Kenntnis der Rassenbildung und des Kopulationsverhaltens der Diatomee *Cocconeis placentula* und ihres Epiphytismus. – *Bot. Notis*: 84–92.
- GEITLER, L. (1949): Beiträge zur Kenntnis der Auxosporenbildung pennater Diatomeen. – *Österr. bot. Z.* 96: 467–472.
- GEITLER, L. (1951a): Kopulation und Formwechsel von *Eunotia arcus*. – *Österr. Bot. Z.* 98: 292–337.
- GEITLER, L. (1951b): Prägame Plasmadifferenzierung und Kopulation von *Eunotia flexuosa*. – *Österr. Bot. Z.* 98: 395–402.
- GEITLER, L. (1952a): Oogamie, Mitose, Meiose und metagame Teilung bei der zentrischen Diatomee *Cyclotella*. – *Österr. Bot. Z.* 99: 506–520.
- GEITLER, L. (1952b): Untersuchungen über Kopulation und Auxosporenbildung pennaten Diatomeen I. Automixis bei *Gomphonema constrictum* var. *capitata*. – *Österr. Bot. Z.* 99: 376–384.

- GEITLER, L. (1952c): Untersuchungen über Kopulation und Auxosporenbildung pennaten Diatomeen II. Wander- und Ruhegameten bei *Amphipleura pellucida*. – Österr. Bot. Z. 99: 385–395.
- GEITLER, L. (1952d): Untersuchungen über Kopulation und Auxosporenbildung pennaten Diatomeen III. Gleichartigkeit der Gonenkerne und Verhalten des Heterochromatins bei *Navicula radiosa*. – Österr. Bot. Z. 99: 469–482.
- GEITLER, L. (1952e): Untersuchungen über Kopulation und Auxosporenbildung pennaten Diatomeen IV. Vierkernige Zygoten bei *Navicula cryptocephala* var. *veneta*; V. Allogamie bei *Synedra rumpens* var. *fragilarioides*. – Österr. Bot. Z. 99: 598–605.
- GEITLER, L. (1953): Allogamie und Autogamie bei der Diatomeen *Denticula tenuis* und die Geschlechtsbestimmung der Diatomeen. – Österr. Bot. Z. 100: 331–352.
- GEITLER, L. (1954): Paarbildung und Gametenfusion bei *Anomoeoneis exilis* und einigen anderen pennaten Diatomeen. – Österr. Bot. Z. 101: 441–452.
- GEITLER, L. (1958a): Notizen über Rassenbildung, Fortpflanzung, Formwechsel und morphologische Eigentümlichkeiten bei pennaten Diatomeen. – Österr. Bot. Z. 105: 408–442.
- GEITLER, L. (1958b): Selective Paarung und Gegenseitige Beeinflussung der Kopulationspartner bei der Diatomee *Cocconeis*. – Planta 51: 584–599.
- Geitler, L. (1960): Obligate pädogamy Automixis bei einer Rasse von *Gomphonema angustatum*. – Österr. Bot. Z. 107: 275–280.

- GEITLER, L. (1963): Die Auxosporenbildung von *Surirella ovata* und die Lagebeziehungen von Mutterzellen und Erstlingzellen bei Diatomeen. – Österr. Bot. Z. 110: 44–52.
- GEITLER, L. (1969): Die Auxosporenbildung von *Nitzschia amphibia*. – Österr. Bot. Z. 117: 404–410.
- GEITLER, L. (1973a): Auxosporenbildung und Systematik bei pennaten Diatomeen und die Cytologie von *Cocconeis*-Sippen. – Österr. Bot. Z. 122: 299–321.
- GEITLER, L. (1973b): Zur Lebensgeschichte und Morphologie pennater Diatomeen. I. Allogamie bei *Gomphonema constrictum* var. *capitatum* (Ehr.) Cleve. – Österr. Bot. Z. 122: 35–49.
- GEITLER, L. (1975): Formwechsel, sippenspezifischer Paarungsmodus und Systematik bei einigen pennaten Diatomeen. – Plant Syst. Evol. 124: 7–30.
- GEITLER, L. (1977a): Entwicklungsgeschichtliche Eigentümlichkeiten einiger *Achnanthes*-Arten (Diatomeae). – Plant. Syst. Evol. 126: 377–392.
- GEITLER, L. (1977b): Zur Entwicklungsgeschichte der Epithemiaceen *Epithemia*, *Rhopalodia* und *Denticula* (Diatomophyceae) und ihre vermutlich symbiotischen Sphäroidkörper. – Plant. Syst. Evol. 128: 259–275.
- GEITLER, L. (1979): Zur Lebensgeschichte der Diatomee *Achnanthes linearis* und Bemerkungen über andere *Achnanthes*-Arten. – Plant. Syst. Evol. 132: 231–238.

- GEITLER, L. (1980): Beiträge zur Entwicklungsgeschichte und Taxonomie einiger *Achnanthes*-Arten, Subgenus *Microneis* (Bacillariophyceae). – Plant. Syst. Evol. 134: 1–10.
- GEITLER, L. & MACK, B. (1953): Die Achsenlagen der Auxosporen und Erstlingszellen bei der Diatomee *Cymbella*. – Österr. Bot. Z. 100: 321–332.
- GIBSON, C.E., FITZSIMONS, A.G. (1990): Introduction of the resting phase in the planktonic diatom *Aulacoseira subarctica* in very low light. – Br. Phycol. J. 25: 329–334.
- GODHE, A.; KREMP, A. & MONTRESOR, M. (2014): Genetic and microscopic evidence for sexual reproduction in the centric diatom *Skeletonema marinoi*. – Protist 165: 401–416.
- GRAN, H.H. (1902): Das Plankton des Norwegischen Nordmeeres von biologischen und hydrographischen Gesichtspunkten behandelt. – Rep. Norweg. Fish. Invest. 2: 1–222.
- GRAN, H.H. & ANGST, E.C. (1931): Plankton diatoms of Puget Sound. – Publications Puget Sound Biological Station 7: 417–519.
- GROSS, F. (1937): The life history of some marine plankton diatoms. – Phil. Trans. Roy. Soc., London, ser. B 228: 1–47.
- GROSS, F. (1939): The development of isolated resting spores into auxospores in *Ditylum brightwellii* (West) Grunow. – J. Mar. Biolog. Assoc. U.K. 24: 375–380.

- HARGRAVES, P.E. (1990): Studies on marine planktonic diatoms. V. Morphology and distribution of *Leptocylindrus minimus* Gran. – Nova Hedwigia 100: 47–60.
- HASLE, G. R.; VON STOSCH, H. A. & SYVERTSEN, E. E. (1983): Cymatosiraceae, a new diatom family. – Bacillaria 6: 9–156.
- HEATH, I.B. & DARLEY, W.M. (1972): Observations on the ultrastructure of the male gametes of *Biddulphia levis* Ehr. – J. Phycol. 8: 51–59.
- HEGDE, S.; NARALE, D.D. & ANIL, A.C. (2011): Sexual reproduction in *Odontella regia* (Schultze) Simonsen 1974 (Bacillariophyta). – Curr. Sci. 101: 222–225.
- HILTZ, M.; BATES, S.S. & KACZMARSKA, I. (2000): Effect of light:dark cycles and cell apical length on the sexual reproduction of the pennate diatom *Pseudo-nitzschia multiseriata* (Bacillariophyceae) in culture. – Phycologia. 39: 59–66.
- HOBAN, M.A. (2008): Biddulphioid diatoms III: Morphology and taxonomy of *Odontella aurita* and *Odontella longicruris* (Bacillariophyta, Bacillariophytina, Mediophyceae) with comments on the sexual reproduction of the latter. – Nova Hedwigia 133: 47–65.
- HOLMES, R.W. (1966): Short-term temperature and light conditions associated with auxospore formation in the marine centric diatom, *Coscinodiscus concinnus* W. Smith. – Nature. 209: 217–218.
- HOLMES, R.W. (1967): Auxospore formation in two marine clones of the diatom genus *Coscinodiscus*. – Am. J. Bot. 54: 163–168.

- HOLT, M.G. & SMAYDA, T.J. (1974): The effect of daylength and light intensity on the growth rate of the marine diatom *Detonula confervacea* (Cleve) Gran. – J. Phycol. 10: 231–237.
- HOLTERMANN, K.E., BATES, S.S., TRAINER, V.L., ODELL, A. & ARMBRUS, E.V. (2010): Mass sexual reproduction in the toxigenic diatoms *Pseudo-nitzschia australis* and *P. pungens* (Bacillariophyceae) on the Washington Coast, USA. – J. Phycol. 46: 41–51.
- HOOPS, H.J. & FLOYD, G.L. (1979): Ultrastructure of the centric diatom, *Cyclotella meneghiniana*: Vegetative cell and auxospore development. – Phycologia 18: 424–435.
- HOPPENRATH, M.; ELBRÄCHTER, M. & DREBES, G. (2009): Marine phytoplankton: Selected microphytoplankton species from the North Sea around Helgoland and Sylt. – 264 pp., Schweizerbart Science Publishers, Stuttgart.
- HOTKER, J. (1928): Die Teilung, Mikrosporen- und Auxosporenbildung von *Coscinodiscus bicornus*. – Am. Protistologie, Paris 1: 167–194.
- HORNER, R.A. (2002): A taxonomic guide to some common marine phytoplankton. – 195 pp., Biopress Ltd., Bristol, UK.
- HUSTEDT, F. (1923): Zur Morphologie und Auxosporenbildung von *Melosira jürgensi* Ag. und *M. arenaria* Moore. – Arch. Hydrobiol. 14: 720–725.

- IDEI, M. (1993): *Eunotia tropica* Hustedt. – In: HORI, T. (ed.): An Illustrated Atlas of the Life History of Algae. Vol. 3. Unicellular and Flagellated Algae. – pp. 258–259, Uchida Rokakuho, Tokyo. (In Japanese)
- IDEI, M. & CHIHARA, M. (1992): Successive observations on the fertilization of a centric diatom *Melosira moniliformis* var. *octagona*. – Bot. Mag. Tokyo 105: 649–658.
- IDEI, M. & NAGUMO, T. (2004a): Auxospore structure of the marine diatom genus *Lampriscus* with triangular / quadrangular forms. – In: M. Poulin (ed.): Proceedings of the 17th international diatom symposium – p. 55, International Society for Diatom Research, Ottawa.
- IDEI, M. & NAGUMO, T. (2004b): Auxospore structure of a triangular diatom *Trigonium formosum*. – In: M.A.Grachev & E.V.Likhoshvaj (eds.): International Symposium: The Living Diatom Cell: 100 Years A.P. Skabichevsky Memorial. – p. 166, Irkutsk, Izdatel'stvo Instituta geografii.
- IDEI, M.; OSADA, K.; SATO, S.; TOYODA, K.; NAGUMO, T. & MANN, D.G. (2012): Gametogenesis and auxospore development in *Actinocyclus* (Bacillariophyta). – PLoS One, 7(8), e41890.
- IDEI, M., SATO, S., NAGASATO, C.; MOTOMURA, T.; TOYODA, K.; NAGUMO, T. & MANN, D.G. (2015): Spermatogenesis and auxospore structure in the multipolar centric diatom *Hydrosera*. – J. Phycol. 51: 144–158.

- IDEI, M.; SATO, S.; WATANABE, T.; NAGUMO, T. & MANN, D.G. (2013): Sexual reproduction and auxospore structure in *Diploneis papula* (Bacillariophyta). – Phycologia 52: 295–308.
- IDEI, M., SATO, S., NAGASATO, C.; MOTOMURA, T.; TOYODA, K.; NAGUMO, T. & MANN, D.G. (2015): Spermatogenesis and auxospore structure in the multipolar centric diatom *Hydrosera*. – J. Phycol. 51: 144–158.
- ISHII, O.; IDEI, M.; SUZUKI, H.; TANAKA, J. (2012): Sexual reproduction and fine structure of auxospore in *Caloneis linearis* (Bacillariophyceae). – Journal of Japanese Botany. 87: 96–107.
- IYENGAR, M.O.P. & SUBRAHMANYAN, R. (1944): On reduction division and auxospore formation in *Cyclotella meneghiniana* Kütz. – J. Indian Bot. Soc. 23: 125–154.
- GÓRĘCKA, E.; DĄBEK, P.; DAVIDOVICH, N.; DAVIDOVICH, O.; TREMBLAY, R.; BELZILE, C.; GASTINEAU, R.; WITKOWSKI, A. (2022): Life history of the diatom *Schizostauron trachyderma*: Cell size and lipid accumulation. – Front. Mar. Sci. 8: 793665. doi: 10.3389/fmars.2021.793665.
- JENSEN, K.G.; MOESTRUP, Ø. & SCHMID, A.-M. M. (2003): Ultrastructure of the male gametes from two centric diatoms, *Chaetoceros laciniosus* and *Coscinodiscus wailesii* (Bacillariophyceae). – Phycologia 42: 98–105.
- JEWSON, D.H. (1992a): Life cycle of *Stephanodiscus* sp. (Bacillariophyta). – J. Phycol. 28: 856–866.

- JEWSON, D.H. (1992b): Size reduction, reproductive strategy and the life cycle of a centric diatom. – Philos. Trans. R. Soc. Lond., B, Biol. Sci. 336: 191–213.
- JEWSON, D.H.; KHONDKER, M.; RAHMAN, M.H. & LOWRY, S. (1993): Auxosporulation of the freshwater diatom *Aulacoseira herzogii* in Lake Banani, Bangladesh. – Diatom Res. 8: 403–418.
- JEWSON, D.H. & LOWRY, S. (1993): *Cymbellonitzschia diluviana* Hustedt (Bacillariophyceae): habitat and auxosporulation. – Hydrobiologia 269/270: 87–96.
- JONES, H.M.; SIMPSON, G.E.; STICKLE, A.J. & MANN, D.G. (2005): Life history and systematics of *Petroneis* (Bacillariophyta), with special reference to British waters. – Eur. J. Phycol. 40: 61–87.
- JUNMIN L. & SHIDE W. (1994): Production of gametes and auxospores in the centric diatom *Lauderia borealis* Gran. – Oceanologia Et Limnologia Sinica. 25: 601–605.
- KACZMARSKA, I.; BATES, S. S.; EHRMAN, J. M. & LÉGER, C. (2000): Fine structure of the gamete, auxospore and initial cell in the pennate diatom *Pseudo-nitzschia multiseries* (H.) Hasle. – Nova Hedwigia 71: 337–351.
- KACZMARSKA, I.; DAVIDOVICH, N.A. & EHRMAN, J.M. (2007): Sex cells and reproduction in the diatom *Nitzschia longissima* (Bacillariophyta): Discovery of siliceous scales in gamete cell walls and novel elements of the perizonium. – Phycologia 46: 726–737.

- KACZMARSKA, I.; POULÍČKOVÁ, A.; SATO, S.; EDLUND, M.B.; IDEI, M.; WATANABE, T. & MANN, D.G. (2013): Proposals for a terminology for diatom sexual reproduction, auxospores and resting stages. – *Diatom Res.* 28: 263–294.
- KACZMARSKA, I. & EHRLMAN, J.M. (2015): Auxosporulation in *Paralia guyana* MacGillivray (Bacillariophyta) and possible new insights into the habit of the earliest diatoms. – *PLoS One* 10(10), e0141150.
- KACZMARSKA, I.; EHRLMAN, J.M.; DAVIDOVICH, N.A.; DAVIDOVICH, O.I. & PODUNAY, Y.A. (2018): Structure and development of the auxospore in *Ardissonaea crystallina* (C. Agardh) Grunow demonstrates another way for a centric to look like a pennate. – *Protist* 169: 466–483.
- KACZMARSKA, I.; GRAY, B.S. JR.; EHRLMAN, J.M. & THALER, M. (2017): Sexual reproduction in plagiogrammacean diatoms: First insights into the early pennates. – *PLOS One* 12(8): e0181413: 1–44.
- KACZMARSKA, I.; SAMANTA, B.; EHRLMAN, J.M. & PORCHER, E.M.A. (2019): Auxosporulation in *Chaetoceros acadianus* sp. nov. (Bacillariophyceae), a new member of the section *Compressa*. – *Europ. J. Phycol.* 54: 206–221.
- KAMAKURA, S.; MANN, D.G.; NAKAMURA, N. & SATO, S. (2021): Inheritance of spheroid body and plastid in the raphid diatom *Epithemia* (Bacillariophyta) during sexual reproduction. – *Phycologia*. 60: 265–273.
- KARSTEN, G., von. (1897): Untersuchungen über Diatomeen. II. – *Flora* 83: 33–53.

- KARSTEN, G., von. (1899): Die Diatomeen der Kieler Bucht. – Wissenschaftliche Meeresuntersuchungen (Kiel), Neue Folge 4: 17–207.
- KARSTEN, G., von. (1900): Die Auxosporenbildung der Gattungen *Cocconeis*, *Surirella* und *Cymatopleura*. – Flora Allg. bot. Ztg. 87: 253–283.
- KARSTEN, G., von (1912): Über die Reduktionsteilung bei der Auxosporenbildung von *Surirella saxonica*. – Z. Bot. 4: 417–426.
- KARSTEN, G., von. (1928): Abteilung Bacillariophyta (Diatomeae). – In: ENGLER, A. & PRANTL, K. (eds.): Die natürlichen Pflanzenfamilien, Zweite Diatomeae (Bacillariophyta). – p. 105–345, Wilhelm Engelmann, Leipzig.
- KIM, J.H.; AJANI, P.; MURRAY, S.A.; KIM, J-H.; LIM, H.C.; TENG, S.T.; LIM, P.T.; HAN, M-S. & PARK, B.S. (2020): Sexual reproduction and genetic polymorphism within the cosmopolitan marine diatom *Pseudo-nitzschia pungens*. – Sci. Rep. 10: 10653.
- KLEBAHN, H. (1896): Beiträge zur Kenntniss der Auxosporenbildung. I. *Rhopalodia gibba* (Ehrenb.) O.Müller. – J. Wiss. Bot. 29: 595–654.
- KOBAYASHI, A.; TANAKA, J.; OSADA, K. & NAGUMO, T. (2001): An auxospore of *Arachnoidiscus ornatus*. In: A.Economou-Amilli (ed.): Proceedings of the 16th International Diatom Symposium. – pp. 197–204, University of Athens Press, Athens.
- KOESTER, J.A.; BRAWLEY, S.H.; KARP-BOSS, L. & MANN, D.G. (2007): Sexual reproduction in the marine centric diatom *Ditylum brightwellii* (Bacillariophyta). – Eur. J. Phycol. 42: 351–366.

- KUMAR, R. (1978): Auxospore formation in species of the marine diatom *Licmophora* Agardh. – Ver. Inst. Meeresforsch. 17: 15–20.
- KURIHARA, M. & TAKAHASHI, K. (2002): Long-term size variation and life cycle patterns of a predominant diatom *Neodenticula seminae* in the subarctic Pacific and the Bering Sea. – Bull. Plankt. Soc. Japan, 49: 76–86. (In Japanese)
- KUSTENKO, N.G. (1979): Characteristic features of ontogenesis in the alga *Cerataulina bergonii*. – Biologiya Morya 2: 79–82.
- KUSTENKO, N.G. (1991): Vliyanie stressovyh faktorov sredy na razmnozhenie diatomovikh vodoroslej. – 156 pp., Naukova Dumka, Kiev. (in Russ.)
- KUSTENKO N.G. & ROSHCHIN A.M. (1974): Osobennosti ontogeneza morskoy diatomovoj vodorosli *Skeletonema costatum* (Grev.) Cl. – Biologicheskie nauki. 10: 60–62.
- LEBOUR, M.V (1930): The planktonic diatoms of northern seas. – 244 pp, Ray Society, London.
- LEVIALDI GHIRON, J.H.; AMATO, A.; MONTRESOR, M. & KOOISTRA, W.H.C.F. (2008): Plastid inheritance in the planktonic raphid pennate diatom *Pseudo-nitzschia delicatissima* (Bacillariophyceae). – Protist. 159: 91–98.
- LI, C.-W. & CHIANG, Y.-M. (1979): A euryhaline and polymorphic new diatom *Proteucylindrus taiwanensis* gen. et sp. nov. – Br. Phycol J. 14: 377–384.

- LIEBISCH, W. (1928): *Amphitetras antediluviana* Ehrbg., sowie einige Beiträge zum Bau und zur Entwicklung der Diatomeenzelle. – Zeitschrift für Botanik 20: 225–271.
- LIEBISCH, W. (1929): Experimentelle und kritische Untersuchungen über die Pektinmembran der Diatomeen unter besonderer Berücksichtigung der Auxosporenbildung und der Kratikularzustände. – Z. Bot. 22: 1–65.
- LUNDHOLM, N.; BATES, S.S.; BAUGH, K.A.; BILL, B.D.; CONNELL, L.B.; LÉGER, C. & TRAINER, V.L. (2012): Cryptic and pseudo-cryptic diversity in diatoms – with descriptions of *Pseudo-nitzschia hasleana* sp. nov. and *P. fryxelliana* sp. nov. – J. Phycol. 48: 436–454.
- MAGNE-SIMON, M.-F. (1960): Note sur le processus de l’auxosporulation chez une Diatome’e marine, *Grammatophora marina* (Lyngbye) Kützing. – C. R. Acad. Sci (Paris) 251: 3040–3042.
- MAGNE-SIMON, M.-F. (1962): L’auxosporulation chez une *Tabellariacee* marine, *Grammatophora marina* (Lyngbye) Kützing. – Cah. Biol. Mar. 3: 79–89.
- MANN, D.G. (1982a): Auxospore formation in *Licmophora* (Bacillariophyta). – Plant. Syst. Evol. 139: 289–294.
- MANN, D.G. (1982b): Structure, life history and systematics of *Rhoicosphenia* (Bacillariophyta). II. Auxospore formation and perizonium structure of *Rh. curvata*. – J. Phycol. 18: 264–274.
- MANN, D.G. (1984a): Auxospore formation and development in *Neidium* (Bacillariophyta). – Brit. Phycol. J. 19: 319–331.

- MANN, D.G. (1984b): Structure, life history and systematics of *Rhoicosphenia* (Bacillariophyta). V. Initial cell and size reduction in *Rh. curvata* and a description of the Rhoicospheniaceae fam. nov. – J. Phycol. 20: 544–555.
- MANN, D.G. (1984c): Observations on copulation in *Navicula pupula* and *Amphora ovalis* in relation to the nature of diatom species. – Ann. Bot. 54: 429–438.
- MANN, D.G. (1986): Methods of sexual reproduction in *Nitzschia*: systematic and evolutionary implications. (Notes for a monograph of the Bacillariaceae 3). – Diatom Res. 1: 193–203.
- MANN, D.G. (1987): Sexual reproduction in *Cymatopleura solea*. – Diatom Res. 2: 97–112.
- MANN, D.G. (1988a): Sexual reproduction and systematics of *Navicula protracta*. – Diatom Res. 3: 227–236.
- MANN, D.G. (1988b): Why didn't Lund see sex in *Asterionella*? A discussion of the diatom life cycle in nature. – In: ROUND, F.E. (ed.): Algae and the Aquatic Environment. – pp. 384–412, Biopress Ltd., Bristol. U.K.
- MANN, D.G. (1989a): On auxospore formation in *Caloneis* and the nature of *Amphiraphia* (Bacillariophyta). – Plant Syst. Evol. 163: 43–52.
- MANN, D.G. (1989b): The diatom genus *Sellaphora*: separation from *Navicula*. – Br. Phycol. J. 24: 1–20.

- MANN, D.G. (1990): Evidence from sexual reproduction and protoplast structure concerning the relationships of the heterovalvar diatom *Campylopyxis*. – In: RICARD, M. (ed.): Ouvrage dédié à la Memoire du Professeur Henry Germain. – pp. 169–179, Koeltz Scientific Publications, Koenigstein.
- MANN, D.G. (1993): Patterns of sexual reproduction in diatoms. – *Hydrobiologia*. 269/270: 11–20.
- MANN, D.G. (1994): Auxospore formation, reproductive plasticity and cell structure in *Navicula ulvacea* and the resurrection of the genus *Dickieia* (Bacillariophyta). – *Eur. J. Phycol.* 29: 141–157.
- MANN, D.G. (1996): The systematics of *Stauroneis* (Bacillariophyta): sexual reproduction and auxospore development in *S. anceps* var. *siberica*. – *Nova Hedwigia* 112: 307–319.
- MANN, D.G. (2011): Size and Sex. – In: SECKBACH, J. & KOCIOLEK, J.P. (eds.): The Diatom World. Cellular Origin, Life in Extreme Habitats and Astrobiology. 19: 145–166.
- MANN, D.G.; CHEPURNOV, V.A. & DROOP, S.J.M. (1999): Sexuality, incompatibility, size variation, and preferential polyandry in natural populations and clones of *Sellaphora pupula* (Bacillariophyceae). – *J. Phycol.* 35: 152–170.
- MANN, D.G. & CHEPURNOV, V.A. (2005): Auxosporulation, mating system, and reproductive isolation in *Neidium* (Bacillariophyta). – *Phycologia* 44: 335–350.

- MANN, D.G.; CHEPURNOV, V.A. & IDEI, M. (2003): Mating system, sexual reproduction and auxosporulation in the anomalous raphid diatom *Eunotia* (Bacillariophyta). – J. Phycol. 39: 1067–1084.
- MANN, D.G.; CRAWFORD, R.M. & ROUND F.E. (2017): Bacillariophyta. – In: ARCHIBALD, J.M.; SIMPSON, A.G.B. & SLAMOVITS, C.H. (eds.): Handbook of the Protists. – pp. 205–266, Springer International Publishing AG.
- MANN, D.G. & POULÍČKOVÁ, A. (2009): Incunabula and perizonium of *Neidium*. – Fottea 9: 211–222.
- MANN, D.G. & POULÍČKOVÁ, A. (2010): Mating system, auxosporulation, species taxonomy and evidence for homoploid evolution in *Amphora* (Bacillariophyta). – Phycologia. 49: 183–201.
- MANN, D.G. & POULÍČKOVÁ, A. (2019): Homothallism, morphology and phylogenetic position of a new species of *Sellaphora* (Bacillariophyta), *S. pausariae*. – Plant Ecol. Evol. 152: 203–218.
- MANN, D.; POULÍČKOVÁ, A.; SATO, S. & EVANS, M. (2011): Scaly incunabula, auxospore development and girdle polymorphism in *Sellaphora marvanii* sp. nov. – J. Phycol. 47: 1368–1378.
- MANN, D.G.; SATO, S.; ROVIRA, L. & TROBAJO, R. (2013): Paedogamy and auxosporulation in *Nitzschia* sect. *Lanceolatae* (Bacillariophyta). – Phycologia. 52: 204–220.

- MANN, D.G. & STICKLE, A.J. (1989) Meiosis, nuclear cyclosis, and auxospore formation in *Navicula sensu stricto* (Bacillariophyta). – Br. Phycol. J. 24: 167–181.
- MANN, D.G. & STICKLE, A.J. (1991): The genus *Craticula*. – Diatom Res. 6: 79–107.
- MANN, D.G. & STICKLE, A.J. (1993): Life history and systematics of *Lyrella*. – Nova Hedwigia 106: 43–70.
- MANN, D.G. & STICKLE, A.J. (1995): Sexual reproduction and systematics of *Placoneis* (Bacillariophyta). – Phycologia 34: 74–86.
- MANTON, I. & VON STOSCH, H.A. (1966): Observations on the fine structure of the male gamete of the marine centric diatom *Lithodesmium undulatum*. – J. Roy. Microsc. Soc. 85: 119–134.
- MATHER, L.; KACZMARSKA, I. & EHRMAN, J.M. (2014): Silicification of auxospores in the araphid diatom *Tabularia fasciculata* (Bacillariophyta). – Eur. J. Protistol. 50: 1–10.
- MAYAMA, S. (1991): *Actinella brasiliensis* Grunow. – In: HORI, T. (ed.): An Illustrated Atlas of the Life History of Algae, Vol. 3. Unicellular and Flagellated Algae. – p. 253, Uchida Rokakuho, Tokyo.
- MAYAMA, S. (1992): Morphology of *Eunotia multiplastidica* sp. nov. (Bacillariophyceae) examined throughout the life cycle. – Kor. J. Phycol. 7: 45–54.

- MAYAMA, S. (1993): *Eunotia multiplastidica* Mayama. – In: HORI, T. (ed.): An Illustrated Atlas of the Life History of Algae, Vol. 3. Unicellular and Flagellated Algae. – p. 256–257, Uchida Rokakuho, Tokyo.
- MEDLIN, L.K. & KACZMARSKA, I. (2004): Evolution of the diatoms: V. Morphological and cytological support for the major clades and a taxonomic revision. – *Phycologia* 43: 245–270.
- MERESCHKOWSKY, C. (1903): Les types des auxospores chez les Diatomées et leur évolution. – *Ann. Sci. Nat. Bot.* 17: 225–262.
- MEUNIER, A. (1910): Microplankton des Mers de Barents et de Kara. Duc d'Orléans. Campagne arctique de 1907. – 355 pp., Imprimerie scientifique Charles Bulens, Brussels.
- MEYER, B.; WULF, M. & HEKANSSON, H. (2001): Phenotypic variation of life-cycle stages in clones of three similar *Cyclotella* species after induced auxospore production. – *Diatom Res.* 16: 343–361.
- MEYER, K. (1929): Über die Auxosporenbildung bei *Gomphonema geminatum*. – *Arch. Protistenk.* 66: 421–135.
- MIGITA, S. (1967a): Morphological and ecological studies on sexual reproduction of marine centric diatoms. – *Information bulletin of planktology* 14: 13–22. (in Japanese).
- MIGITA, S. (1967b): Sexual reproduction of centric diatom *Skeletonema costatum*. – *Bull. Jpn. Soc. Sci.* 33: 392–398.

- MIGITA, S. (1967c): Sexual reproduction of *Melosira moniliformis* Agardh. – Bull. Fac. Fish., Nagasaki Univ. 23: 123–133 (in Japanese).
- MILLS, K.E. & KACZMARSKA, I. (2006): Autogamic reproductive behaviour and sex cell structure of *Thalassiosira angulata*. – Bot. Mar. 49: 417–430.
- MIZUNO, M. (1994): Sexual reproduction and auxospore formation in *Achnanthes javanica* f. *subconstricta*. – Diatom Res. 9: 133–141.
- MIZUNO, M. (1998): Sexual reproduction and auxospore formation of the marine monoraphid diatom *Cocconeis pellucida*. – Diatom Res. 13: 103–112.
- MIZUNO, M. (2000): Sexual auxosporulation of the marine diatom *Navicula directa* var. *directa*. – Phycol. Res. 48: 103–106.
- MIZUNO, M. (2006): Evolution of meiotic patterns of oogenesis and spermatogenesis in centric diatoms. – Phycological Res. 54: 57–64.
- MIZUNO, M. & OKUDA, K. (1985): Seasonal change in the distribution of cell size of *Cocconeis scutellum* var. *ornata* (Bacillariophyceae) in relation to growth and sexual reproduction. – J. Phycol. 21: 547–553.
- MOEYS, S.; FRENKEL, J.; LEMBKE, C.; GILLARD, J.T.; DEVOS, V.; VAN DEN BERGE, K.; BOUILLON, B.; HUYSMAN, M.J.; DE DECKER, S.; SCHARF, J.; BONES, A.; BREMBU, T.; WINGE, P.; SABBE, K.; VUYLSTEKE, M.; CLEMENT, L.; DE VEYLDER, L.; POHNERT, G. & VYVERMAN, W. (2016): A sex-inducing pheromone triggers cell cycle arrest and mate attraction in the diatom *Seminavis robusta*. – Sci. Rep. 6:19252. DOI: 10.1038/srep19252

- MÜLLER, O. (1889): Auxosporen von *Terpsinoë musica* Ehr. – Plant Biol. 7: 181–183.
- MÜLLER, O. (1906): Pleomorphismus, Auxosporen und Dauersporen bei *Melosira* - Arten. – Jahrbücher für Wissenschaftlichen Botanik. 43: 49–88.
- NANJAPPA, D.; KOOISTRA, W.H.C.F. & ZINGONE, A. (2013): A reappraisal of the genus *Leptocylindrus* (Bacillariophyta), with the addition of three species and the erection of *Tenuicylindrus* gen. nov. – J. Phycol. 49: 917–936.
- NANJAPPA, D., SANGES, R., FERRANTE, M.I., ZINGONE, A. (2017): Diatom flagellar genes and their expression during sexual reproduction in *Leptocylindrus danicus*. – BMC Genomics. 18: 813: 1-11.
- NISHIKAWA, T. (2017): Cell size reduction and restoration of the diatom *Eucampia zodiacus* in culture. – Plankton Benthos Res. 12: 139–142.
- NESTEROVICH, A. 2012. Initial cells of a freshwater diatom *Frustulia crassinervia* (Brébisson) Lange-Bertalot & Krammer. – In: KOEN, S., BART, V. DE VIJVER & WIM, V. (eds): 22nd International Diatom Symposium. – p. 198, VLIZ Special Publication, Ghent.
- NEUVILLE, D. & DASTE, P. (1972): Premières observations sur la reproduction, par division binaire, de la diatomée *Navicula ostrearia* (Gaillon) Bory cultivée in vitro. – C. R. Acad. Sci. Paris. 274, Série D: 1083–1085.
- NEUVILLE, D. & DASTE, P. (1975): Observations préliminaires concernant l'auxosporulation chez la diatomée *Navicula ostrearia* (Gaillon) Bory en culture in vitro. – C. R. Acad. Sci. Paris. 281, Série D: 1753–1756.

- ORLOVA, T.YU. & AIZDAICHER, N.A. (2000): Development in culture of the diatom *Chaetoceros salsugineus* from the Sea of Japan. – Russ. J. Mar. Biol. 26: 8–11.
- OSADA, K. (1993): Life history of *Entomoneis decussata* (Grunow) Osada et Kobayasi. – In: HORI, T. (ed.): An Illustrated Atlas of the Life History of Algae, Vol. 3. Unicellular and Flagellated Algae. – pp. 286–287, Uchida Rokakuho, Tokyo.
- PASSY-TOLAR, S.I. & LOWE, R.L. (1995): *Gomphoneis mesta* (Bacillariophyta). II. Morphology of the initial frustules and perizonium ultrastructure with some inferences about diatom evolution. – J. Phycol. 31: 447–456.
- PAYNE-HOWELL, R., PFIESTER, L.A. (1983): Sexual reproduction of *Amphora veneta* Kütz (Bacillariophyta), with a special look at the initial cell and its perizonium. – J. Phycol. 19 suppl.: 11.
- PAVILLARD, J. (1921): Sur la reproduction du *Chaetoceros eibonii* Meunier. – C. R. Acad. Sci 172: 469–471.
- PEREZ-MARTINEZ, C.; CRUZ-PIZARRO, L. & SANCHEZ-CASTILLO, P. (1992): Auxosporulation in *Cyclotella ocellata* (Bacillariophyceae) under natural and experimental conditions. – J. Phycol. 28: 608–615.
- PERSIDSKY, B.M. (1932): The development of the auxospores in the group of the Centricae (Bacillariaceae). – Bulletin of State Oceanographic Institute. 10: 3–24.
- PERSIDSKY, B.M. (1935): The sexual process in *Melosira varians*. – Beih. Bot. Centralbl. 53: 122–132.

- PETIT, P. (1885): Note sur le developpement des auxospores chez le *Cocconema cistula* Ehr. – Bull. Soc. Pathol. Exot. Filiales. 32: 1–5.
- PODUNAY, Y.A.; DAVIDOVICH, O.I. & DAVIDOVICH, N.A. (2014): Mating system and two types of gametogenesis in the freshwater diatom *Ulnaria ulna* (Bacillariophyta). – Algologiya 24: 3–19.
- PODUNAY, Y.A.; DAVIDOVICH, N.A.; KULIKOVSKIY, M.S. & GUSEV, E.S. (2018): Features of sexual reproduction and mating system of *Ulnaria acus* (Bacillariophyta). – J. Sib. Fed. Univ. Biol. 11: 75–87.
- PODUNAY, YU.A.; DAVIDOVICH, N.A.; DAVIDOVICH, O.I.; WITKOWSKI, A.; GASTINEAU R. & SOLAK, C.N. (2021): The sexual reproduction and life cycle of the pennate diatom *Entomoneis* cf. *padulosa* (W. Smith) Reimer (Bacillariophyta). – Russian Journal of Marine Biology. 47: 19–28.
- POPOVSKAYA, G.I.; SKABICHEVSKII, A.P. (1970): K morfologii i sistematike *Melosira baicalensis* (S. Meyer) Wisl. – Novosti sistematiki nizshih rastenij 7: 7–13.
- POULÍČKOVÁ, A. (2008a): Morphology, cytology and sexual reproduction in the aerophytic cave diatom *Luticola dismutica* (Bacillariophyceae). – Preslia. 80: 87–99.
- POULÍČKOVÁ, A. (2008b): Paedogamy in *Neidium* (Bacillariophyceae). – Folia Microbiol. 53: 125–129.
- POULÍČKOVÁ, A. & MANN, D.G. (2006): Sexual reproduction in *Navicula cryptocephala* (Bacillariophyceae). – J. Phycol. 42: 872–886.

- POULÍČKOVÁ, A. & MANN, D.G. (2008): Autogamous auxosporulation in *Pinnularia nodosa* (Bacillariophyceae). – J. Phycol. 44: 350–363.
- POULÍČKOVÁ, A. & MANN, D.G. (2019): Diatom sexual reproduction and life cycles. – In: SECKBACH, J. & GORDON, R. (eds): Diatoms: Fundamentals and Applications. – pp. 245–272, Scrivener Publishing LLC, Beverley, Massachusetts.
- POULÍČKOVÁ, A.; MAYAMA, S.; CHEPURNOV, V.A. & MANN, D.G. (2007): Heterothallic auxosporulation, incunabula and perizonium in *Pinnularia* (Bacillariophyceae). – Eur. J. Phycol. 42: 367–390.
- QUIJANO-SCHEGGIA, S.; GARCÉS, E.; ANDREE, K.; FORTUÑO, J.M. & CAMP, J. (2009a): Homothallic auxosporulation in *Pseudo-nitzschia brasiliensis* (Bacillariophyta). – J. Phycol. 45: 100–107.
- QUIJANO-SCHEGGIA, S.I., GARCÉS, E., LUNDHOLM, N., MOESTRUP, Ø., ANDREE, K. & CAMP, J. (2009b): Morphology, physiology, molecular phylogeny and sexual compatibility of the cryptic *Pseudo-nitzschia delicatissima* complex (Bacillariophyta), including the description of *P. arenysensis* sp. nov. – Phycologia 48: 492–509.
- RAO, V.N.R. (1971): Studies on *Cyclotella meneghiniana* Kütz. II. Induction of auxospore formation. – Phykos. 10: 84–98.
- RAMSFJELL, E. (1959): Dimorphism and the simultaneous occurrence of auxospores and microspores in the diatom *Rhizosolenia hebetates* f. *semispina*. – Nytt Magasin for Botanikk 7: 169–180.

- RIETH, A. (1940): Die Auxosporenbildung bei *Melosira arenaria* (Moore). – *Planta* 31: 171–183.
- RIETH, A. (1953): Zur Auxosporenbildung bei *Melosira nummuloides* (Dillw.) C.A. Ag. – *Flora (Jena)* 140: 205–208.
- RINES, J.E.B. (1999): Morphology and taxonomy of *Chaetoceros contortus* Schütt 1895, with preliminary observations on *Chaetoceros compressus* Lauder 1864 (subgenus *Hyalochaete*, section *Compressa*). – *Bot. Mar.* 42: 539–551.
- ROEMER, S.C. & ROSOWSKI, J.R. (1980): Valve and band morphology of some freshwater diatoms. III. Pre- and post-auxospore frustules and the initial cell of *Melosira roeseana*. – *J. Phycol.* 16: 399–411.
- ROSHCHIN A.M. (1972): Vliyanie uslovij osveshcheniya na obrazovanie auksospor i skorost' deleniya kletok *Coscinodiscus granii*, Gough. – *Fiziologiya pastenij*. 19: 180–184. (in Russ.)
- ROSHCHIN A.M. (1973): O haraktere ukрупneniya kletok *Coscinodiscus granii* Gough. – *Biologicheskie nauki*. 5: 78–81. (in Russ.)
- ROSHCHIN A.M. (1976): Vliyanie uslovij osveshcheniya na vegetativnoe pazmnozhenie kletok i polovoe vosppoizvedenie dvuh vidov tsentpicheskikh diatomovykh vodoposlej. – *Fiziologiya pastenij*. 23: 715–719. (in Russ.)
- ROSHCHIN A.M. (1986a): Rost i vosppoizvodstvo diatomovoj vodoposli *Melosira moniliformis*. – *Biologiya mopya*. 6: 22–26. (in Russ.)

- ROSHCHIN, A.M. (1986b): Usloviya obrazovaniya auksospor v kul'ture i prirodnoj populyatsii diatomovoj vodorosli *Licmophora ehrenbergii*. – p. 1–13, Dep. v VINITI 13.02.86, № 1090-V86.43, Moscow. (in Russ.)
- ROSHCHIN, A.M. (1990a): Sochetanie odnodomnosti i dvudomnosti u diatomovoi vodorosli *Nitzschia lanceolata* W. Sm. – Zhurn. obshch. biologii 51: 699–708. (in Russ.)
- ROSHCHIN, A.M. (1990b): Zhiznennye tsikly diatomovoi vodorosli *Melosira moniliformis* var. *moniliformis* v sravnenii s drugimi tsentricheskimi vidami. – pp. 1–17, Dep. v VINITI, №2635-V90, Kiev (in Russ.)
- ROSHCHIN, A.M. (1994a): Dvudomnoe vosproizvedenie *Achnanthes longipes* Ag. (Bacillariophyta). – Al'gologiya. 4: 22–29. (in Russ.)
- ROSHCHIN, A.M. (1994b): Zhiznennye tsikly diatomovikh vodoroslej. – 171 pp., Naukova Dumka, Kiev. (in Russ.)
- ROSHCHIN A.M. & CHEPURNOV V.A. (1993): Obrazovanie auksospor v klonovoj kul'ture *Achnanthes brevipes* Ag. var. *intermedia* (Kütz.) Cl. (Bacillariophyta). – Al'gologiya. 3: 19–22. (in Russ.)
- ROSHCHIN A.M. & CHEPURNOV V.A. (1994): Allogamnyj polovoj protsess i gaploidnyj partenogenez u dvudomnoj vodorosli *Licmophora ehrenbergii* (Kütz.) Grun. (Bacillariophyta). – Al'gologiya. 4: 3–10. (in Russ.)
- ROSHCHIN, A.M. & CHEPURNOV, V.A. (1999): Dioecy and monoecy in the pennate diatoms (with reference to the centric taxa). – In: MAYAMA, M., IDEI, M. &

- KOIZUMI, I. (eds.): Proceedings of the 14th International Diatom Symposium. – pp. 241–261, Koeltz Scientific Books, Koenigstein.
- ROUND, F.E. (1982): Auxospore structure, initial valves and the development of populations of *Stephanodiscus* in Farmoor reservoir. – Ann. Bot. 49: 447–459.
- ROUND, F.E.; CRAWFORD, R.M. & MANN, D.G. (1990): The diatoms: Biology and morphology of the genera. – 747 pp., Cambridge University Press, Cambridge.
- ROZUMEK, K.E. (1968): Der Einfluss der Umweltfaktoren Licht und Temperatur auf die Ausbildung der Sexualstadlen bei der pennaten Diatomee *Rhabdonema adriaticum* Kütz. – Beitr. Biol. Pflanz. 44: 365–388.
- SABATINO, V.; RUSSO, M.T.; PATIL, S.; D'IPPOLITO, G.; FONTANA, A. & FERRANTE, M.I. (2015): Establishment of genetic transformation in the sexually reproducing diatoms *Pseudo-nitzschia multistriata* and *Pseudo-nitzschia arenysensis* and inheritance of the transgene. – Mar. Biotechnol. 17: 452–462.
- SABBE, K.; CHEPURNOV, V.A.; MANN, D.G. & VYVERMAN, W. (2004a): Sexual behaviour, auxosporulation and chloroplast dynamics in a marine *Amphora* (Bacillariophyceae) studied in culture. – Bot. Mar. 47: 53–63.
- SABBE, K.; CHEPURNOV, V.A.; VYVERMAN, W. & MANN, D.G. (2004b): Apomixis in *Achnanthes* (Bacillariophyceae); development of a model system for diatom reproductive biology. – Eur. J. Phycol. 39: 327–341.

- SAMANTA, B.; KINNEY, M.E.; HEFFELL, Q.; EHRLMAN, J.M. & KACZMARSKA, I. (2017): Gametogenesis and auxospore development in the bipolar centric diatom *Brockmanniella brockmannii* (family Cymatosiraceae). – Protist 168: 527–545.
- SAMANTA, B.; HEFFELL, Q.; EHRLMAN, J. M. & KACZMARSKA, I. (2018): Spermatogenesis in the bipolar centric diatom *Plagiogrammopsis vanheurckii* (Mediophyceae). – Phycologia 57: 354–359.
- SAMANTA, B.; KACZMARSKA, I. & EHRLMAN, J.M. (2020): Auxosporulation in *Biddulphia tridens* (Ehrenb.) Ehrenb. (Mediophyceae, Bacillariophyta). – Europ. J. Phycol. 55: 296–309.
- SARNO, D.; ZINGONE, A. & MONTRESOR, M. (2010): A massive and simultaneous sex event of two *Pseudo-nitzschia* species. – Deep Sea Res. Part II. 57: 248–255.
- SATO, A. & KAN-NO, H. (1967): Synchrony to the auxospore phase in the cultured population of a centric diatom, *Chaetoceros simplex* var. *calcitrans* Paulsen. – Bull. Tokoku Reg. Fish. Res. Lab. 24: 101–110.
- SATO, S.; BEAKES, G.; IDEL, M.; NAGUMO, T. & MANN, D.G. (2011): Novel sex cells and evidence for sex pheromones in diatoms. – PLoS One 6(10), e26923.
- SATO, S.; KURIYAMA, K.; TADANO, T. & MEDLIN, L.K. (2008a): Auxospore fine structure in a marine araphid diatom *Tabularia parva*. – Diatom Res. 23: 423–433.
- SATO, S.; MANN, D.G.; MATSUMOTO, S. & MEDLIN, L.K. (2008b): *Pseudostriatella* (Bacillariophyta): A description of a new araphid genus based on observations of

- frustule and auxospore structure and 18S rDNA phylogeny. – *Phycologia* 47: 371–391.
- SATO, S.; MANN, D.G.; NAGUMO, T.; TANAKA, J.; TADANO, T. & MEDLIN, L.K. (2008c): Auxospore fine structure and variation in modes of cell size changes in *Grammatophora marina* (Bacillariophyta). – *Phycologia* 47: 12–27.
- SATO, S.; NAGUMO, T. & TANAKA, J. (2004): Auxospore formation and the morphology of the initial cell of the marine araphid diatom *Gephyria media* (Bacillariophyceae). – *J. Phycol.* 40: 684–691.
- SAUNDERS, R.P. & GLENN, D.A. (1969): Diatoms. Vol. 1, Part. III – 119 pp., Florida Department of Natural Resources, Marine Research Laboratory, St. Petersburg, Florida.
- SKABICHEVSKIJ, A. P. (1929): K biologii *Melosira baikalensis* (C. Meyer) Wisl. – *Russkij gidrobiologicheskij Zhurnal*. 8: 93–114. (in Russ.)
- SCALCO, E.; AMATO, A.; FERRANTE, M.I. & MONTRESOR, M. (2016): The sexual phase of the diatom *Pseudo-nitzschia multistriata*: cytological and time-lapse cinematography characterization. – *Protoplasma* 253: 1421–1431.
- SCHMID, A.-M.M. (1984): Tricornate spines in *Thalassiosira eccentric* as a result of valve modelling. – In: MANN, D.G. (ed.): *Proceedings of the 7th International Diatom Symposium*. – pp. 71–95, Koeltz, Koenigstein.
- SCHMID, A.-M.M. (1994): Slit-scales in the auxospore scale case of *Coscinodiscus granii*: the rudiments of rimoportulae? – *Diatom Res.* 9: 371–375.

- SCHMID, A.-M.M. (1995): Sexual reproduction in *Coscinodiscus granii* Gough in culture: A preliminary report. – In: MARINO, D. & MONTRESOR, M. (eds.): Proceedings of the 13th International Diatom Symposium. – pp. 139–159, Biopress, Bristol.
- SCHMID, A.-M.M. & CRAWFORD, R.M. (2001): *Ellerbeckia arenaria* (Bacillariophyceae): Formation of auxospores and initial cells. – Eur. J. Phycol. 36: 307–320.
- SCHMIDT, P. (1923): Morphologie und Biologie der *Melosira varians* mit einem Beitrag zur Mikrosporenfrage. – Internationale Revue der gesamten Hydrobiologie und Hydrographie. 11: 114–147.
- SCHULTZ, M.E. & TRAINOR, F.R. (1968): Production of male gametes and auxospores in the centric diatoms *Cyclotella meneghiniana* and *C. cryptica*. – J. Phycol. 4: 85–88.
- SCHULTZ, M.E. & TRAINOR, F.R. (1970): Production of male gametes and auxospores in a polymorphic clone of the centric diatom *Cyclotella*. – Can. J. Bot. 48: 947–951.
- SKABICHEVSKII, A.P. (1983): Novyj vid diatomovoi vodorosli *Didymosphenia lineata* (Bacillariophyta) i ee izmenchivost'. – Botanicheskii zhurnal 68: 1254–1260. (in Russ.)
- STEELE, R.L. (1963): Sexual reproduction in the marine centric diatom *Isthmia nervosa* Kützing (MSc thesis). – University of Washington, Seattle.

- STEELE, R.L. (1967): Induction of sexuality in two marine centric diatoms: *Ditylum brightwellii* (West) Grunow and *Stephanopyxis palmeriana* (Grev.) Grunow (PhD thesis). – University of Washington, Seattle.
- STICKLE, A.J. (1986): *Mastogloia smithii* has a method of sexual reproduction hitherto unknown in raphid diatoms. – Diatom Res. 1: 271–282.
- STOSCH, H.A., VON (1951): Entwicklungsgeschichtliche Untersuchungen an zentrischen Diatomeen I. Die Ausporenbildung von *Melosira varians*. – Arch. Mikrobiol. 16: 101–135.
- STOSCH, H.A., VON (1954): Die Oogamie von *Biddulphia mobiliensis* und die bisher bekannten Auxosporenbildungen bei den Centrales. – In: VIII Congr. Intern. Bot. Rapp. Comm. Sect. 17: 58–68.
- STOSCH, H.A., VON (1956): Entwicklungsgeschichtliche Untersuchungen an zentrischen Diatomeen. II. Geschlechtszellenreifung, Befruchtung und Auxosporenbildung einiger grundbewohnender Biddulphiaceen der Nordsee. – Arch. Mikrobiol. 23: 327–365.
- STOSCH, H.A., VON (1958): Kann die oogame Araphidee *Rhabdonema adriaticum* als Bindeglied zwischen den beiden großen Diatomeen gruppen angesehen werden? – Ber. Deutsch. Bot. Ges. 71: 241–249.
- STOSCH, H.A., VON (1962): Über das Perizonium der Diatomeen. – Vorträge aus dem Gesamtgebiet der Botanik 1: 43–52.

STOSCH, H.A.; VON & DREBES, G. (1964): Entwicklungsgeschichtliche Untersuchungen an zentrischen Diatomeen IV. Die Planktondiatomee *Stephanopyxis turris* – ihre Behandlung und Entwicklungsgeschichte. – Helgoland. Wiss. Meer. 11: 209–257.

STOSCH, H.A., VON (1965): Manipulierung der Zellgrösse von Diatomeen im Experiment. – Phycologia 5: 21–44.

STOSCH, H.A.; VON & KOWALLIK, K. (1969): Der von L. Geitler aufgestellte Satz über die Notwendigkeit einer Mitose für jede Schalenbildung von Diatomeen. Beobachtungen über die Reichweite und Überlegungen zu seiner zellmechanischen Bedeutung. – Österr. bot. Z. 116: 454–474.

STOSCH, H.A.; VON & REIMANN, B.E.F. (1970): *Subsilicea fragilarioides* gen. et spec. nov., Eine Diatomee (Fragilariaceae) mit vorwiegend organischer Membran. – In: Diatomaceae II (J. Gerloff & J.B. Chlcnoky, eds.). – Beihefte zur Nova Hedwigia 31: 1–36.

STOSCH, H.A., VON; THEIL, G. & KOWALLIK, K. (1973): Entwicklungsgeschichtliche Untersuchungen an zentrischen Diatomeen V. Bau und Lebenszyklus von *Chaetoceros didymum*, mit Beobachtungen über einige anderen Arten der Gattung. – Helgoland. Wiss. Meer. 25: 384–445.

STOSCH, H.A., VON (1977): Observations on *Belleriochea* and *Streptothea*, including descriptions of three new planktonic diatom species. – In: SIMONSEN, R. (ed.): Proceedings of the Fourth Symposium on Recent and Fossil Marine Diatoms. – Nova Hedwigia 54: 113–166.

- STOSCH, H.A., VON (1982): On auxospore envelopes in diatoms. – *Bacillaria* 5: 127–156.
- SUBRAHMANYAN, R. (1945): On somatic division, reduction division, auxospore-formation and sex differentiation in *Navicula halophila* (Grunow) Cleve. – *Curr. Sci.* 14: 75–77.
- SUBRAHMANYAN, R. (1946): On the occurrence of microspores in some centric diatoms of the Madras coast. – *J. Indian Bot. Soc.* 25: 61–66.
- SUNESSEN, I. & SAR, E.A. (2007): Diatomeas marinas de aguas costeras de la provincial de Buenos Aires (Argentina). III. Géneros potencialmente nocivos *Asterionellopsis*, *Cerataulina*, *Ceratoneis* y *Leptocylindrus*. – *Rev. Chil. de Hist. Nat.* 80: 493–507.
- THALER, F. (1972): Beitrag zur Entwicklungsgeschichte und zum Zellbau einiger Diatomeen. – *Plant Syst. Evol.* 120: 313–347.
- THWAITES, G.H.K. (1847): On conjugation in the Diatomaceae. – *Ann. Mag. Nat. Hist.* (Series 1) 20: 9–11, 343–344.
- THWAITES, G.H.K. (1848): Further observations on the Diatomaceae; with descriptions of new genera and species. – *Ann. Mag. Nat. Hist. Ser. 2*, 1: 161–172.
- TOYODA, K.; IDEI, M.; NAGUMO, T. & TANAKA, J. (2005): Fine-structure of the vegetative frustule, perizonium and initial valve of *Achnanthes yaquinensis* (Bacillariophyta). – *Eur. J. Phycol.* 40: 269–279.

- TOYODA, K.; WILLIAMS, D.M.; TANAKA, J. & NAGUMO, T. (2006): Morphological investigations of the frustule, perizonium and initial valves of the freshwater diatom *Achnanthes crenulata* Grunow (Bacillariophyceae). – Phycol. Res. 54: 173–182.
- TROBAJO, R.; MANN, D.G.; CHEPURNOV, V.A.; CLAVERO, E. & COX, E.J. (2006): Taxonomy, life cycle, and auxosporulation of *Nitzschia fonticola* (Bacillariophyta). – J. Phycol. 42: 1353–1372.
- TROBAJO, R.; CLAVERO, E., CHEPURNOV, V.A.; SABBE, K.; MANN, D.G.; ISHIHARA, S. & COX, E.J. (2009): Morphological, genetic and mating diversity within the widespread bioindicator *Nitzschia palea* (Bacillariophyceae). – Phycologia 48: 443–459.
- TSCHERMAK-WOESS, E. (1973a): Über die bisher vergeblich gesuchte Auxosporenbildung von *Diatoma*. – Österr. Bot. Z. 121: 23–27.
- TSCHERMAK-WOESS, E. (1973b): Die geschlechtliche Fortpflanzung von *Amphipleura rutilans* und das verschiedene Verhalten der Erstlingszellen von Diatomeen in Gallertschlauchen. – Österr. Bot. Z. 122: 21–34.
- TUANLAO W. & JUNMIN L. (1996): Studies on sexual reproduction in marine diatom *Cerataulina compacta*. – J. Oceanogr. in Taiwan Strait 15: 147–153.
- VANORMELINGEN, P.; CHEPURNOV, V.A.; MANN, D.G.; COUSIN, S.; SABBE, K. & VYVERMAN, W. (2007): Congruence of morphological, reproductive and ITS

- rDNA sequence data in some Australasian *Eunotia bilunaris* (Bacillariophyta). – Eur. J. Phycol. 42: 61–79.
- VANORMELINGEN, P.; VANELSLANDER, B.; SATO, S.; GILLARD, J.; TROBAJO, R.; SABBE, K. & VYVERMAN, W. (2013a): Heterothallic sexual reproduction in the model diatom *Cylindrotheca*. – Eur. J. Phycol. 48: 93–105.
- VANSTECHELMAN, I.; SABBE, K.; VYVERMAN, W.; VANORMELINGEN, P. & VUYLSTEKE, M. (2013b): Linkage mapping identifies the sex determining region as a single locus in the pennate diatom *Seminavis robusta*. – PLoS ONE. 8 (3): e60132. doi:10.1371/journal.pone.0060132
- VAULOT, D. & CHISHOLM, S.W. (1987): Flow cytometric analysis of spermatogenesis in the diatom *Thalassiosira weissflogii* (Bacillariophyceae). – J. Phycol. 23: 132–137.
- WAITE, A.; HARRISON, P.J. (1992): Role of sinking and ascent during sexual reproduction in the marine diatom *Ditylum brightwellii*. – Mar. Ecol. Prog. Ser. 87: 113–122.
- WATANABE, T.; MAYAMA, S. & IDEI, M. (2012): Overlooked heteropolarity in *Surirella* cf. *fastuosa* (Bacillariophyta) and relationships between valve morphogenesis and auxospore development. – J. Phycol. 48: 1265–1277.
- WERNER, D. (1971): Der Entwicklungscyclus mit Sexualphae bei marinen Diatomee *Coscinodiscus asteromphalus*. III. Differenzierung und Spermatogenese. – Arch. Mikrobiol. 80: 134–146.

WILLIAMS, D.W. (2001): Comments on the structure of ‘post-auxospore’ valves of *Fragilariforma virescens*. – In: JAHN, R.; KOCIOLEK, J. P.; WITKOWSKI A. & P. COMPÈRE (eds.): Lange-Bertalot-Festschrift: Studies on diatoms. Dedicated to Prof. Dr. Dr. h. c. Horst Lange-Bertalot on the occasion of his 65th birthday. – pp. 103–117, A.R.G. Gantner, Ruggell.

YENDO, K. & AKATSUKA, K. (1910): Asexual mode of auxospore formation of *Arachnoidiscus ehrenbergii* Bail. – Bot. Mag. 24: 47–50.